

Certificate of Conformity

Global-Mark Pty. Ltd., certify the electrical equipment described hereunder complies with standards listed herein and notifies the certificate holder to affix the authorised Approval Mark on the product of the same type and the Regulatory Compliance Mark (RCM) mark provided that the requirements of all relevant parts of AS/NZS 4417 applicable to the article are fulfilled. In placing the Approval and RCM mark on the product, the Responsible Supplier makes a declaration of compliance with the certification standard(s) and confirms that the product is identical to the product certified herein. – This Certificate meets the requirements of a Recognised External Certification Scheme (EESS- RECS) and a Recognised External Approval Scheme (NSW-REAS).

CERTIFICATION AND CERTIFICATE HOLDER DETAILS

Company Name	Zhejiang Chint Electrics Co.,Ltd.	Other Name	
Address	No.1, Chint Road,Chint Industrial Zone, North Baixiang Yueqing Zhejiang 325603 China		
Client ID	108754	Global-Mark File Number:	108754-003
Certificate Number & Approval Mark	GMA-516904-EA	Revision Number	00
Certification Standard(s)	AS/NZS 60898.1:2004 Electrical accessories - Circuit-breakers for overcurrent protection for household and similar installations - Circuit-breakers for a.c. operation		
Type of Certification	Electrical Safety Product	Scheme	Global-Mark Electrical Product Safety Certification Scheme

System 1 Approval

CERTIFICATE DATES

Certificate Issue Date	14/11/2023
Certificate Last Update Date	
Certification Expiry Date	14/11/2028

This certification remains valid until the above-mentioned expiry date and subject to the organisation's continued compliance with the certification standard, and Global-Mark's Terms and Conditions. This Certificate of Conformity remains the property of Global-Mark Pty Ltd, Company Number: ACN.108-087-654. The use of the Accreditation Mark indicates accreditation by the Joint Accreditation System of Australia and New Zealand in respect to those activities covered by JAS-ANZ accreditation. Refer to www.jasanz.org/register for verification.



Certification Manager



Certificate of Conformity

CERTIFIED ELECTRICAL EQUIPMENT				
Declared Article	Product Description	Trade Name	Model Number	Rating
Miniature overcurrent circuitbreaker	Miniature overcurrent circuitbreaker	CHINT	NB1-63 1PB1	In=1A,Un= 240/415V or 230/400V~, 50/60Hz, Energy limiting class: 3, Icn=Ics=6000A
Miniature overcurrent circuitbreaker	Miniature overcurrent circuitbreaker	CHINT	NB1-63 1PB1.6	In=1.6A,Un= 240/415V or 230/400V~, 50/60Hz, Energy limiting class: 3, Icn=Ics=6000A
Miniature overcurrent circuitbreaker	Miniature overcurrent circuitbreaker	CHINT	NB1-63 1PB2	In=2A,Un= 240/415V or 230/400V~, 50/60Hz, Energy limiting class: 3, Icn=Ics=6000A
Miniature overcurrent circuitbreaker	Miniature overcurrent circuitbreaker	CHINT	NB1-63 1PB3	In=3A,Un= 240/415V or 230/400V~, 50/60Hz, Energy limiting class: 3, Icn=Ics=6000A
Miniature overcurrent circuitbreaker	Miniature overcurrent circuitbreaker	CHINT	NB1-63 1PB4	In=4A,Un= 240/415V or 230/400V~, 50/60Hz, Energy limiting class: 3, Icn=Ics=6000A
Miniature overcurrent circuitbreaker	Miniature overcurrent circuitbreaker	CHINT	NB1-63 1PB5	In=5A,Un= 240/415V or 230/400V~, 50/60Hz, Energy limiting class: 3, Icn=Ics=6000A
Miniature overcurrent circuitbreaker	Miniature overcurrent circuitbreaker	CHINT	NB1-63 1PB6	In=6A,Un= 240/415V or 230/400V~, 50/60Hz, Energy limiting class: 3, Icn=Ics=6000A
Miniature overcurrent circuitbreaker	Miniature overcurrent circuitbreaker	CHINT	NB1-63 1PB8	In=8A,Un= 240/415V or 230/400V~, 50/60Hz, Energy limiting class: 3, Icn=Ics=6000A
Miniature overcurrent circuitbreaker	Miniature overcurrent circuitbreaker	CHINT	NB1-63 1PB10	In=10A,Un= 240/415V or 230/400V~, 50/60Hz, Energy limiting class: 3, Icn=Ics=6000A
Miniature overcurrent circuitbreaker	Miniature overcurrent circuitbreaker	CHINT	NB1-63 1PB13	In=13A,Un= 240/415V or 230/400V~, 50/60Hz, Energy limiting class: 3, Icn=Ics=6000A
Miniature overcurrent circuitbreaker	Miniature overcurrent circuitbreaker	CHINT	NB1-63 1PB16	In=16A,Un= 240/415V or 230/400V~, 50/60Hz, Energy limiting class: 3, Icn=Ics=6000A
Miniature overcurrent circuitbreaker	Miniature overcurrent circuitbreaker	CHINT	NB1-63 1PB20	In=20A,Un= 240/415V or 230/400V~, 50/60Hz, Energy limiting class: 3, Icn=Ics=6000A
Miniature overcurrent circuitbreaker	Miniature overcurrent circuitbreaker	CHINT	NB1-63 1PB25	In=25A,Un= 240/415V or 230/400V~, 50/60Hz, Energy limiting class: 3, Icn=Ics=6000A
Miniature overcurrent circuitbreaker	Miniature overcurrent circuitbreaker	CHINT	NB1-63 1PB32	In=32A,Un= 240/415V or 230/400V~, 50/60Hz, Energy limiting class: 3, Icn=Ics=6000A

This certification remains valid until the above-mentioned expiry date and subject to the organisation's continued compliance with the certification standard, and Global-Mark's Terms and Conditions. This Certificate of Conformity remains the property of Global-Mark Pty Ltd, Company Number: ACN.108-087-654. The use of the Accreditation Mark indicates accreditation by the Joint Accreditation System of Australia and New Zealand in respect to those activities covered by JAS-ANZ accreditation. Refer to www.jasanz.org/register for verification.



Certification Manager

Page 2 of 22

Certificate of Conformity

Miniature overcurrent circuitbreaker	Miniature overcurrent circuitbreaker	CHINT	NB1-63 1PB40	In=40A,Un= 240/415V or 230/400V~, 50/60Hz, Energy limiting class: 3, Icn=Ics=6000A
Miniature overcurrent circuitbreaker	Miniature overcurrent circuitbreaker	CHINT	NB1-63 1PB50	In=50A,Un= 240/415V or 230/400V~, 50/60Hz, Energy limiting class: 3, Icn=Ics=6000A
Miniature overcurrent circuitbreaker	Miniature overcurrent circuitbreaker	CHINT	NB1-63 1PB63	In=63A,Un= 240/415V or 230/400V~, 50/60Hz, Energy limiting class: 3, Icn=Ics=6000A
Miniature overcurrent circuitbreaker	Miniature overcurrent circuitbreaker	CHINT	NB1-63 1PC1	In=1A,Un= 240/415V or 230/400V~, 50/60Hz, Energy limiting class: 3, Icn=Ics=6000A
Miniature overcurrent circuitbreaker	Miniature overcurrent circuitbreaker	CHINT	NB1-63 1PC1.6	In=1.6A,Un= 240/415V or 230/400V~, 50/60Hz, Energy limiting class: 3, Icn=Ics=6000A
Miniature overcurrent circuitbreaker	Miniature overcurrent circuitbreaker	CHINT	NB1-63 1PC2	In=2A,Un= 240/415V or 230/400V~, 50/60Hz, Energy limiting class: 3, Icn=Ics=6000A
Miniature overcurrent circuitbreaker	Miniature overcurrent circuitbreaker	CHINT	NB1-63 1PC3	In=3A,Un= 240/415V or 230/400V~, 50/60Hz, Energy limiting class: 3, Icn=Ics=6000A
Miniature overcurrent circuitbreaker	Miniature overcurrent circuitbreaker	CHINT	NB1-63 1PC4	In=4A,Un= 240/415V or 230/400V~, 50/60Hz, Energy limiting class: 3, Icn=Ics=6000A
Miniature overcurrent circuitbreaker	Miniature overcurrent circuitbreaker	CHINT	NB1-63 1PC5	In=5A,Un= 240/415V or 230/400V~, 50/60Hz, Energy limiting class: 3, Icn=Ics=6000A
Miniature overcurrent circuitbreaker	Miniature overcurrent circuitbreaker	CHINT	NB1-63 1PC6	In=6A,Un= 240/415V or 230/400V~, 50/60Hz, Energy limiting class: 3, Icn=Ics=6000A
Miniature overcurrent circuitbreaker	Miniature overcurrent circuitbreaker	CHINT	NB1-63 1PC8	In=8A,Un= 240/415V or 230/400V~, 50/60Hz, Energy limiting class: 3, Icn=Ics=6000A
Miniature overcurrent circuitbreaker	Miniature overcurrent circuitbreaker	CHINT	NB1-63 1PC10	In=10A,Un= 240/415V or 230/400V~, 50/60Hz, Energy limiting class: 3, Icn=Ics=6000A
Miniature overcurrent circuitbreaker	Miniature overcurrent circuitbreaker	CHINT	NB1-63 1PC13	In=13A,Un= 240/415V or 230/400V~, 50/60Hz, Energy limiting class: 3, Icn=Ics=6000A
Miniature overcurrent circuitbreaker	Miniature overcurrent circuitbreaker	CHINT	NB1-63 1PC16	In=16A,Un= 240/415V or 230/400V~, 50/60Hz, Energy limiting class: 3, Icn=Ics=6000A
Miniature overcurrent circuitbreaker	Miniature overcurrent circuitbreaker	CHINT	NB1-63 1PC20	In=20A,Un= 240/415V or 230/400V~, 50/60Hz, Energy limiting class: 3, Icn=Ics=6000A

This certification remains valid until the above-mentioned expiry date and subject to the organisation's continued compliance with the certification standard, and Global-Mark's Terms and Conditions. This Certificate of Conformity remains the property of Global-Mark Pty Ltd, Company Number: ACN.108-087-654. The use of the Accreditation Mark indicates accreditation by the Joint Accreditation System of Australia and New Zealand in respect to those activities covered by JAS-ANZ accreditation. Refer to www.jasanz.org/register for verification.



Certification Manager

Certificate of Conformity

Miniature overcurrent circuitbreaker	Miniature overcurrent circuitbreaker	CHINT	NB1-63 1PC25	In=25A,Un= 240/415V or 230/400V~, 50/60Hz, Energy limiting class: 3, Icn=Ics=6000A
Miniature overcurrent circuitbreaker	Miniature overcurrent circuitbreaker	CHINT	NB1-63 1PC32	In=32A,Un= 240/415V or 230/400V~, 50/60Hz, Energy limiting class: 3, Icn=Ics=6000A
Miniature overcurrent circuitbreaker	Miniature overcurrent circuitbreaker	CHINT	NB1-63 1PC40	In=40A,Un= 240/415V or 230/400V~, 50/60Hz, Energy limiting class: 3, Icn=Ics=6000A
Miniature overcurrent circuitbreaker	Miniature overcurrent circuitbreaker	CHINT	NB1-63 1PC50	In=50A,Un= 240/415V or 230/400V~, 50/60Hz, Energy limiting class: 3, Icn=Ics=6000A
Miniature overcurrent circuitbreaker	Miniature overcurrent circuitbreaker	CHINT	NB1-63 1PC63	In=63A,Un= 240/415V or 230/400V~, 50/60Hz, Energy limiting class: 3, Icn=Ics=6000A
Miniature overcurrent circuitbreaker	Miniature overcurrent circuitbreaker	CHINT	NB1-63 1PD1	In=1A,Un= 240/415V or 230/400V~, 50/60Hz, Energy limiting class: 3, Icn=Ics=6000A
Miniature overcurrent circuitbreaker	Miniature overcurrent circuitbreaker	CHINT	NB1-63 1PD1.6	In=1.6A,Un= 240/415V or 230/400V~, 50/60Hz, Energy limiting class: 3, Icn=Ics=6000A
Miniature overcurrent circuitbreaker	Miniature overcurrent circuitbreaker	CHINT	NB1-63 1PD2	In=2A,Un= 240/415V or 230/400V~, 50/60Hz, Energy limiting class: 3, Icn=Ics=6000A
Miniature overcurrent circuitbreaker	Miniature overcurrent circuitbreaker	CHINT	NB1-63 1PD3	In=3A,Un= 240/415V or 230/400V~, 50/60Hz, Energy limiting class: 3, Icn=Ics=6000A
Miniature overcurrent circuitbreaker	Miniature overcurrent circuitbreaker	CHINT	NB1-63 1PD4	In=4A,Un= 240/415V or 230/400V~, 50/60Hz, Energy limiting class: 3, Icn=Ics=6000A
Miniature overcurrent circuitbreaker	Miniature overcurrent circuitbreaker	CHINT	NB1-63 1PD5	In=5A,Un= 240/415V or 230/400V~, 50/60Hz, Energy limiting class: 3, Icn=Ics=6000A
Miniature overcurrent circuitbreaker	Miniature overcurrent circuitbreaker	CHINT	NB1-63 1PD6	In=6A,Un= 240/415V or 230/400V~, 50/60Hz, Energy limiting class: 3, Icn=Ics=6000A
Miniature overcurrent circuitbreaker	Miniature overcurrent circuitbreaker	CHINT	NB1-63 1PD8	In=8A,Un= 240/415V or 230/400V~, 50/60Hz, Energy limiting class: 3, Icn=Ics=6000A
Miniature overcurrent circuitbreaker	Miniature overcurrent circuitbreaker	CHINT	NB1-63 1PD10	In=10A,Un= 240/415V or 230/400V~, 50/60Hz, Energy limiting class: 3, Icn=Ics=6000A
Miniature overcurrent circuitbreaker	Miniature overcurrent circuitbreaker	CHINT	NB1-63 1PD13	In=13A,Un= 240/415V or 230/400V~, 50/60Hz, Energy limiting class: 3, Icn=Ics=6000A

This certification remains valid until the above-mentioned expiry date and subject to the organisation's continued compliance with the certification standard, and Global-Mark's Terms and Conditions. This Certificate of Conformity remains the property of Global-Mark Pty Ltd, Company Number: ACN.108-087-654. The use of the Accreditation Mark indicates accreditation by the Joint Accreditation System of Australia and New Zealand in respect to those activities covered by JAS-ANZ accreditation. Refer to www.jasanz.org/register for verification.



Certification Manager

Page 4 of 22

Certificate of Conformity

Miniature overcurrent circuitbreaker	Miniature overcurrent circuitbreaker	CHINT	NB1-63 1PD16	In=16A,Un= 240/415V or 230/400V~, 50/60Hz, Energy limiting class: 3, Icn=Ics=6000A
Miniature overcurrent circuitbreaker	Miniature overcurrent circuitbreaker	CHINT	NB1-63 1PD20	In=20A,Un= 240/415V or 230/400V~, 50/60Hz, Energy limiting class: 3, Icn=Ics=6000A
Miniature overcurrent circuitbreaker	Miniature overcurrent circuitbreaker	CHINT	NB1-63 1PD25	In=25A,Un= 240/415V or 230/400V~, 50/60Hz, Energy limiting class: 3, Icn=Ics=6000A
Miniature overcurrent circuitbreaker	Miniature overcurrent circuitbreaker	CHINT	NB1-63 1PD32	In=32A,Un= 240/415V or 230/400V~, 50/60Hz, Energy limiting class: 3, Icn=Ics=6000A
Miniature overcurrent circuitbreaker	Miniature overcurrent circuitbreaker	CHINT	NB1-63 1PD40	In=40A,Un= 240/415V or 230/400V~, 50/60Hz, Energy limiting class: 3, Icn=Ics=6000A
Miniature overcurrent circuitbreaker	Miniature overcurrent circuitbreaker	CHINT	NB1-63 1PD50	In=50A,Un= 240/415V or 230/400V~, 50/60Hz, Energy limiting class: 3, Icn=Ics=6000A
Miniature overcurrent circuitbreaker	Miniature overcurrent circuitbreaker	CHINT	NB1-63 1PD63	In=63A,Un= 240/415V or 230/400V~, 50/60Hz, Energy limiting class: 3, Icn=Ics=6000A
Miniature overcurrent circuitbreaker	Miniature overcurrent circuitbreaker	CHINT	NB1-63 1PNB1	In=1A,230/240V~,50/60Hz, Energy limiting class: 3 Icn=Ics=6000A
Miniature overcurrent circuitbreaker	Miniature overcurrent circuitbreaker	CHINT	NB1-63 1PNB1.6	In=1.6A,230/240V~,50/60Hz, Energy limiting class: 3 Icn=Ics=6000A
Miniature overcurrent circuitbreaker	Miniature overcurrent circuitbreaker	CHINT	NB1-63 1PNB2	In=2A,230/240V~,50/60Hz, Energy limiting class: 3 Icn=Ics=6000A
Miniature overcurrent circuitbreaker	Miniature overcurrent circuitbreaker	CHINT	NB1-63 1PNB3	In=3A,230/240V~,50/60Hz, Energy limiting class: 3 Icn=Ics=6000A
Miniature overcurrent circuitbreaker	Miniature overcurrent circuitbreaker	CHINT	NB1-63 1PNB4	In=4A,230/240V~,50/60Hz, Energy limiting class: 3 Icn=Ics=6000A
Miniature overcurrent circuitbreaker	Miniature overcurrent circuitbreaker	CHINT	NB1-63 1PNB5	In=5A,230/240V~,50/60Hz, Energy limiting class: 3 Icn=Ics=6000A
Miniature overcurrent circuitbreaker	Miniature overcurrent circuitbreaker	CHINT	NB1-63 1PNB6	In=6A,230/240V~,50/60Hz, Energy limiting class: 3 Icn=Ics=6000A
Miniature overcurrent circuitbreaker	Miniature overcurrent circuitbreaker	CHINT	NB1-63 1PNB8	In=8A,230/240V~,50/60Hz, Energy limiting class: 3 Icn=Ics=6000A

This certification remains valid until the above-mentioned expiry date and subject to the organisation's continued compliance with the certification standard, and Global-Mark's Terms and Conditions. This Certificate of Conformity remains the property of Global-Mark Pty Ltd, Company Number: ACN.108-087-654. The use of the Accreditation Mark indicates accreditation by the Joint Accreditation System of Australia and New Zealand in respect to those activities covered by JAS-ANZ accreditation. Refer to www.jasanz.org/register for verification.



Certification Manager

Page 5 of 22

Certificate of Conformity

Miniature overcurrent circuitbreaker	Miniature overcurrent circuitbreaker	CHINT	NB1-63 1PNB10	In=10A,230/240V~,50/60Hz, Energy limiting class: 3 Icn=Ics=6000A
Miniature overcurrent circuitbreaker	Miniature overcurrent circuitbreaker	CHINT	NB1-63 1PNB13	In=13A,230/240V~,50/60Hz, Energy limiting class: 3 Icn=Ics=6000A
Miniature overcurrent circuitbreaker	Miniature overcurrent circuitbreaker	CHINT	NB1-63 1PNB16	In=16A,230/240V~,50/60Hz, Energy limiting class: 3 Icn=Ics=6000A
Miniature overcurrent circuitbreaker	Miniature overcurrent circuitbreaker	CHINT	NB1-63 1PNB20	In=20A,230/240V~,50/60Hz, Energy limiting class: 3 Icn=Ics=6000A
Miniature overcurrent circuitbreaker	Miniature overcurrent circuitbreaker	CHINT	NB1-63 1PNB25	In=25A,230/240V~,50/60Hz, Energy limiting class: 3 Icn=Ics=6000A
Miniature overcurrent circuitbreaker	Miniature overcurrent circuitbreaker	CHINT	NB1-63 1PNB32	In=32A,230/240V~,50/60Hz, Energy limiting class: 3 Icn=Ics=6000A
Miniature overcurrent circuitbreaker	Miniature overcurrent circuitbreaker	CHINT	NB1-63 1PNB40	In=40A,230/240V~,50/60Hz, Energy limiting class: 3 Icn=Ics=6000A
Miniature overcurrent circuitbreaker	Miniature overcurrent circuitbreaker	CHINT	NB1-63 1PNB50	In=50A,230/240V~,50/60Hz, Energy limiting class: 3 Icn=Ics=6000A
Miniature overcurrent circuitbreaker	Miniature overcurrent circuitbreaker	CHINT	NB1-63 1PNB63	In=63A,230/240V~,50/60Hz, Energy limiting class: 3 Icn=Ics=6000A
Miniature overcurrent circuitbreaker	Miniature overcurrent circuitbreaker	CHINT	NB1-63 1PNC1	In=1A,230/240V~,50/60Hz, Energy limiting class: 3 Icn=Ics=6000A
Miniature overcurrent circuitbreaker	Miniature overcurrent circuitbreaker	CHINT	NB1-63 1PNC1.6	In=1.6A,230/240V~,50/60Hz, Energy limiting class: 3 Icn=Ics=6000A
Miniature overcurrent circuitbreaker	Miniature overcurrent circuitbreaker	CHINT	NB1-63 1PNC2	In=2A,230/240V~,50/60Hz, Energy limiting class: 3 Icn=Ics=6000A
Miniature overcurrent circuitbreaker	Miniature overcurrent circuitbreaker	CHINT	NB1-63 1PNC3	In=3A,230/240V~,50/60Hz, Energy limiting class: 3 Icn=Ics=6000A
Miniature overcurrent circuitbreaker	Miniature overcurrent circuitbreaker	CHINT	NB1-63 1PNC4	In=4A,230/240V~,50/60Hz, Energy limiting class: 3 Icn=Ics=6000A
Miniature overcurrent circuitbreaker	Miniature overcurrent circuitbreaker	CHINT	NB1-63 1PNC5	In=5A,230/240V~,50/60Hz, Energy limiting class: 3 Icn=Ics=6000A

This certification remains valid until the above-mentioned expiry date and subject to the organisation's continued compliance with the certification standard, and Global-Mark's Terms and Conditions. This Certificate of Conformity remains the property of Global-Mark Pty Ltd, Company Number: ACN.108-087-654. The use of the Accreditation Mark indicates accreditation by the Joint Accreditation System of Australia and New Zealand in respect to those activities covered by JAS-ANZ accreditation. Refer to www.jasanz.org/register for verification.



Certification Manager

Page 6 of 22

Global-Mark Pty Ltd, Copyright 2012 - 407, 32 Delhi Road, North Ryde NSW 2113, Australia



Certificate of Conformity

Miniature overcurrent circuitbreaker	Miniature overcurrent circuitbreaker	CHINT	NB1-63 1PNC6	In=6A,230/240V~,50/60Hz, Energy limiting class: 3 Icn=Ics=6000A
Miniature overcurrent circuitbreaker	Miniature overcurrent circuitbreaker	CHINT	NB1-63 1PNC8	In=8A,230/240V~,50/60Hz, Energy limiting class: 3 Icn=Ics=6000A
Miniature overcurrent circuitbreaker	Miniature overcurrent circuitbreaker	CHINT	NB1-63 1PNC10	In=10A,230/240V~,50/60Hz, Energy limiting class: 3 Icn=Ics=6000A
Miniature overcurrent circuitbreaker	Miniature overcurrent circuitbreaker	CHINT	NB1-63 1PNC13	In=13A,230/240V~,50/60Hz, Energy limiting class: 3 Icn=Ics=6000A
Miniature overcurrent circuitbreaker	Miniature overcurrent circuitbreaker	CHINT	NB1-63 1PNC16	In=16A,230/240V~,50/60Hz, Energy limiting class: 3 Icn=Ics=6000A
Miniature overcurrent circuitbreaker	Miniature overcurrent circuitbreaker	CHINT	NB1-63 1PNC20	In=20A,230/240V~,50/60Hz, Energy limiting class: 3 Icn=Ics=6000A
Miniature overcurrent circuitbreaker	Miniature overcurrent circuitbreaker	CHINT	NB1-63 1PNC25	In=25A,230/240V~,50/60Hz, Energy limiting class: 3 Icn=Ics=6000A
Miniature overcurrent circuitbreaker	Miniature overcurrent circuitbreaker	CHINT	NB1-63 1PNC32	In=32A,230/240V~,50/60Hz, Energy limiting class: 3 Icn=Ics=6000A
Miniature overcurrent circuitbreaker	Miniature overcurrent circuitbreaker	CHINT	NB1-63 1PNC40	In=40A,230/240V~,50/60Hz, Energy limiting class: 3 Icn=Ics=6000A
Miniature overcurrent circuitbreaker	Miniature overcurrent circuitbreaker	CHINT	NB1-63 1PNC50	In=50A,230/240V~,50/60Hz, Energy limiting class: 3 Icn=Ics=6000A
Miniature overcurrent circuitbreaker	Miniature overcurrent circuitbreaker	CHINT	NB1-63 1PNC63	In=63A,230/240V~,50/60Hz, Energy limiting class: 3 Icn=Ics=6000A
Miniature overcurrent circuitbreaker	Miniature overcurrent circuitbreaker	CHINT	NB1-63 1PND1	In=1A,230/240V~,50/60Hz, Energy limiting class: 3 Icn=Ics=6000A
Miniature overcurrent circuitbreaker	Miniature overcurrent circuitbreaker	CHINT	NB1-63 1PND1.6	In=1.6A,230/240V~,50/60Hz, Energy limiting class: 3 Icn=Ics=6000A
Miniature overcurrent circuitbreaker	Miniature overcurrent circuitbreaker	CHINT	NB1-63 1PND2	In=2A,230/240V~,50/60Hz, Energy limiting class: 3 Icn=Ics=6000A
Miniature overcurrent circuitbreaker	Miniature overcurrent circuitbreaker	CHINT	NB1-63 1PND3	In=3A,230/240V~,50/60Hz, Energy limiting class: 3 Icn=Ics=6000A

This certification remains valid until the above-mentioned expiry date and subject to the organisation's continued compliance with the certification standard, and Global-Mark's Terms and Conditions. This Certificate of Conformity remains the property of Global-Mark Pty Ltd, Company Number: ACN.108-087-654. The use of the Accreditation Mark indicates accreditation by the Joint Accreditation System of Australia and New Zealand in respect to those activities covered by JAS-ANZ accreditation. Refer to www.jasanz.org/register for verification.



Certification Manager

Page 7 of 22

Certificate of Conformity

Miniature overcurrent circuitbreaker	Miniature overcurrent circuitbreaker	CHINT	NB1-631PND4	In=4A,230/240V~,50/60Hz, Energy limiting class: 3 Icn=Ics=6000A
Miniature overcurrent circuitbreaker	Miniature overcurrent circuitbreaker	CHINT	NB1-63 1PND5	In=5A,230/240V~,50/60Hz, Energy limiting class: 3 Icn=Ics=6000A
Miniature overcurrent circuitbreaker	Miniature overcurrent circuitbreaker	CHINT	NB1-63 1PND6	In=6A,230/240V~,50/60Hz, Energy limiting class: 3 Icn=Ics=6000A
Miniature overcurrent circuitbreaker	Miniature overcurrent circuitbreaker	CHINT	NB1-63 1PND8	In=8A,230/240V~,50/60Hz, Energy limiting class: 3 Icn=Ics=6000A
Miniature overcurrent circuitbreaker	Miniature overcurrent circuitbreaker	CHINT	NB1-63 1PND10	In=10A,230/240V~,50/60Hz, Energy limiting class: 3 Icn=Ics=6000A
Miniature overcurrent circuitbreaker	Miniature overcurrent circuitbreaker	CHINT	NB1-63 1PND13	In=13A,230/240V~,50/60Hz, Energy limiting class: 3 Icn=Ics=6000A
Miniature overcurrent circuitbreaker	Miniature overcurrent circuitbreaker	CHINT	NB1-63 1PND16	In=16A,230/240V~,50/60Hz, Energy limiting class: 3 Icn=Ics=6000A
Miniature overcurrent circuitbreaker	Miniature overcurrent circuitbreaker	CHINT	NB1-63 1PND20	In=20A,230/240V~,50/60Hz, Energy limiting class: 3 Icn=Ics=6000A
Miniature overcurrent circuitbreaker	Miniature overcurrent circuitbreaker	CHINT	NB1-63 1PND25	In=25A,230/240V~,50/60Hz, Energy limiting class: 3 Icn=Ics=6000A
Miniature overcurrent circuitbreaker	Miniature overcurrent circuitbreaker	CHINT	NB1-63 1PND32	In=32A,230/240V~,50/60Hz, Energy limiting class: 3 Icn=Ics=6000A
Miniature overcurrent circuitbreaker	Miniature overcurrent circuitbreaker	CHINT	NB1-63 1PND40	In=40A,230/240V~,50/60Hz, Energy limiting class: 3 Icn=Ics=6000A
Miniature overcurrent circuitbreaker	Miniature overcurrent circuitbreaker	CHINT	NB1-63 1PND50	In=50A,230/240V~,50/60Hz, Energy limiting class: 3 Icn=Ics=6000A
Miniature overcurrent circuitbreaker	Miniature overcurrent circuitbreaker	CHINT	NB1-63 1PND63	In=63A,230/240V~,50/60Hz, Energy limiting class: 3 Icn=Ics=6000A
Miniature overcurrent circuitbreaker	Miniature overcurrent circuitbreaker	CHINT	NB1-63 2PB1	In=1A,400/415V~,50/60Hz, Energy limiting class: 3 Icn=Ics=6000A
Miniature overcurrent circuitbreaker	Miniature overcurrent circuitbreaker	CHINT	NB1-63 2PB1.6	In=1.6A,400/415V~,50/60Hz, Energy limiting class: 3 Icn=Ics=6000A

This certification remains valid until the above-mentioned expiry date and subject to the organisation's continued compliance with the certification standard, and Global-Mark's Terms and Conditions. This Certificate of Conformity remains the property of Global-Mark Pty Ltd, Company Number: ACN.108-087-654. The use of the Accreditation Mark indicates accreditation by the Joint Accreditation System of Australia and New Zealand in respect to those activities covered by JAS-ANZ accreditation. Refer to www.jasanz.org/register for verification.



Certification Manager

Page 8 of 22

Certificate of Conformity

Miniature overcurrent circuitbreaker	Miniature overcurrent circuitbreaker	CHINT	NB1-63 2PB2	In=2A,400/415V~,50/60Hz, Energy limiting class: 3 Icn=Ics=6000A
Miniature overcurrent circuitbreaker	Miniature overcurrent circuitbreaker	CHINT	NB1-63 2PB3	In=3A,400/415V~,50/60Hz, Energy limiting class: 3 Icn=Ics=6000A
Miniature overcurrent circuitbreaker	Miniature overcurrent circuitbreaker	CHINT	NB1-63 2PB4	In=4A,400/415V~,50/60Hz, Energy limiting class: 3 Icn=Ics=6000A
Miniature overcurrent circuitbreaker	Miniature overcurrent circuitbreaker	CHINT	NB1-63 2PB5	In=5A,400/415V~,50/60Hz, Energy limiting class: 3 Icn=Ics=6000A
Miniature overcurrent circuitbreaker	Miniature overcurrent circuitbreaker	CHINT	NB1-63 2PB6	In=6A,400/415V~,50/60Hz, Energy limiting class: 3 Icn=Ics=6000A
Miniature overcurrent circuitbreaker	Miniature overcurrent circuitbreaker	CHINT	NB1-63 2PB8	In=8A,400/415V~,50/60Hz, Energy limiting class: 3 Icn=Ics=6000A
Miniature overcurrent circuitbreaker	Miniature overcurrent circuitbreaker	CHINT	NB1-63 2PB10	In=10A,400/415V~,50/60Hz, Energy limiting class: 3 Icn=Ics=6000A
Miniature overcurrent circuitbreaker	Miniature overcurrent circuitbreaker	CHINT	NB1-63 2PB13	In=13A,400/415V~,50/60Hz, Energy limiting class: 3 Icn=Ics=6000A
Miniature overcurrent circuitbreaker	Miniature overcurrent circuitbreaker	CHINT	NB1-63 2PB16	In=16A,400/415V~,50/60Hz, Energy limiting class: 3 Icn=Ics=6000A
Miniature overcurrent circuitbreaker	Miniature overcurrent circuitbreaker	CHINT	NB1-63 2PB20	In=20A,400/415V~,50/60Hz, Energy limiting class: 3 Icn=Ics=6000A
Miniature overcurrent circuitbreaker	Miniature overcurrent circuitbreaker	CHINT	NB1-63 2PB25	In=25A,400/415V~,50/60Hz, Energy limiting class: 3 Icn=Ics=6000A
Miniature overcurrent circuitbreaker	Miniature overcurrent circuitbreaker	CHINT	NB1-63 2PB32	In=32A,400/415V~,50/60Hz, Energy limiting class: 3 Icn=Ics=6000A
Miniature overcurrent circuitbreaker	Miniature overcurrent circuitbreaker	CHINT	NB1-63 2PB40	In=40A,400/415V~,50/60Hz, Energy limiting class: 3 Icn=Ics=6000A
Miniature overcurrent circuitbreaker	Miniature overcurrent circuitbreaker	CHINT	NB1-63 2PB50	In=50A,400/415V~,50/60Hz, Energy limiting class: 3 Icn=Ics=6000A
Miniature overcurrent circuitbreaker	Miniature overcurrent circuitbreaker	CHINT	NB1-63 2PB63	In=63A,400/415V~,50/60Hz, Energy limiting class: 3 Icn=Ics=6000A

This certification remains valid until the above-mentioned expiry date and subject to the organisation's continued compliance with the certification standard, and Global-Mark's Terms and Conditions. This Certificate of Conformity remains the property of Global-Mark Pty Ltd, Company Number: ACN.108-087-654. The use of the Accreditation Mark indicates accreditation by the Joint Accreditation System of Australia and New Zealand in respect to those activities covered by JAS-ANZ accreditation. Refer to www.jasanz.org/register for verification.



Certification Manager

Page 9 of 22

Certificate of Conformity

Miniature overcurrent circuitbreaker	Miniature overcurrent circuitbreaker	CHINT	NB1-63 2PC1	In=1A,400/415V~,50/60Hz, Energy limiting class: 3 Icn=Ics=6000A
Miniature overcurrent circuitbreaker	Miniature overcurrent circuitbreaker	CHINT	NB1-63 2PC1.6	In=1.6A,400/415V~,50/60Hz, Energy limiting class: 3 Icn=Ics=6000A
Miniature overcurrent circuitbreaker	Miniature overcurrent circuitbreaker	CHINT	NB1-63 2PC2	In=2A,400/415V~,50/60Hz, Energy limiting class: 3 Icn=Ics=6000A
Miniature overcurrent circuitbreaker	Miniature overcurrent circuitbreaker	CHINT	NB1-63 2PC3	In=3A,400/415V~,50/60Hz, Energy limiting class: 3 Icn=Ics=6000A
Miniature overcurrent circuitbreaker	Miniature overcurrent circuitbreaker	CHINT	NB1-63 2PC4	In=4A,400/415V~,50/60Hz, Energy limiting class: 3 Icn=Ics=6000A
Miniature overcurrent circuitbreaker	Miniature overcurrent circuitbreaker	CHINT	NB1-63 2PC5	In=5A,400/415V~,50/60Hz, Energy limiting class: 3 Icn=Ics=6000A
Miniature overcurrent circuitbreaker	Miniature overcurrent circuitbreaker	CHINT	NB1-63 2PC6	In=6A,400/415V~,50/60Hz, Energy limiting class: 3 Icn=Ics=6000A
Miniature overcurrent circuitbreaker	Miniature overcurrent circuitbreaker	CHINT	NB1-63 2PC8	In=8A,400/415V~,50/60Hz, Energy limiting class: 3 Icn=Ics=6000A
Miniature overcurrent circuitbreaker	Miniature overcurrent circuitbreaker	CHINT	NB1-63 2PC10	In=10A,400/415V~,50/60Hz, Energy limiting class: 3 Icn=Ics=6000A
Miniature overcurrent circuitbreaker	Miniature overcurrent circuitbreaker	CHINT	NB1-63 2PC13	In=13A,400/415V~,50/60Hz, Energy limiting class: 3 Icn=Ics=6000A
Miniature overcurrent circuitbreaker	Miniature overcurrent circuitbreaker	CHINT	NB1-63 2PC16	In=16A,400/415V~,50/60Hz, Energy limiting class: 3 Icn=Ics=6000A
Miniature overcurrent circuitbreaker	Miniature overcurrent circuitbreaker	CHINT	NB1-63 2PC20	In=20A,400/415V~,50/60Hz, Energy limiting class: 3 Icn=Ics=6000A
Miniature overcurrent circuitbreaker	Miniature overcurrent circuitbreaker	CHINT	NB1-63 2PC25	In=25A,400/415V~,50/60Hz, Energy limiting class: 3 Icn=Ics=6000A
Miniature overcurrent circuitbreaker	Miniature overcurrent circuitbreaker	CHINT	NB1-63 2PC32	In=32A,400/415V~,50/60Hz, Energy limiting class: 3 Icn=Ics=6000A
Miniature overcurrent circuitbreaker	Miniature overcurrent circuitbreaker	CHINT	NB1-63 2PC40	In=40A,400/415V~,50/60Hz, Energy limiting class: 3 Icn=Ics=6000A

This certification remains valid until the above-mentioned expiry date and subject to the organisation's continued compliance with the certification standard, and Global-Mark's Terms and Conditions. This Certificate of Conformity remains the property of Global-Mark Pty Ltd, Company Number: ACN.108-087-654. The use of the Accreditation Mark indicates accreditation by the Joint Accreditation System of Australia and New Zealand in respect to those activities covered by JAS-ANZ accreditation. Refer to www.jasanz.org/register for verification.



Certification Manager



Certificate of Conformity

Miniature overcurrent circuitbreaker	Miniature overcurrent circuitbreaker	CHINT	NB1-63 2PC50	In=50A,400/415V~,50/60Hz, Energy limiting class: 3 Icn=Ics=6000A
Miniature overcurrent circuitbreaker	Miniature overcurrent circuitbreaker	CHINT	NB1-63 2PC63	In=63A,400/415V~,50/60Hz, Energy limiting class: 3 Icn=Ics=6000A
Miniature overcurrent circuitbreaker	Miniature overcurrent circuitbreaker	CHINT	NB1-63 2PD1	In=1A,400/415V~,50/60Hz, Energy limiting class: 3 Icn=Ics=6000A
Miniature overcurrent circuitbreaker	Miniature overcurrent circuitbreaker	CHINT	NB1-63 2PD1.6	In=1.6A,400/415V~,50/60Hz, Energy limiting class: 3 Icn=Ics=6000A
Miniature overcurrent circuitbreaker	Miniature overcurrent circuitbreaker	CHINT	NB1-63 2PD2	In=2A,400/415V~,50/60Hz, Energy limiting class: 3 Icn=Ics=6000A
Miniature overcurrent circuitbreaker	Miniature overcurrent circuitbreaker	CHINT	NB1-63 2PD3	In=3A,400/415V~,50/60Hz, Energy limiting class: 3 Icn=Ics=6000A
Miniature overcurrent circuitbreaker	Miniature overcurrent circuitbreaker	CHINT	NB1-63 2PD4	In=4A,400/415V~,50/60Hz, Energy limiting class: 3 Icn=Ics=6000A
Miniature overcurrent circuitbreaker	Miniature overcurrent circuitbreaker	CHINT	NB1-63 2PD5	In=5A,400/415V~,50/60Hz, Energy limiting class: 3 Icn=Ics=6000A
Miniature overcurrent circuitbreaker	Miniature overcurrent circuitbreaker	CHINT	NB1-63 2PD6	In=6A,400/415V~,50/60Hz, Energy limiting class: 3 Icn=Ics=6000A
Miniature overcurrent circuitbreaker	Miniature overcurrent circuitbreaker	CHINT	NB1-63 2PD8	In=8A,400/415V~,50/60Hz, Energy limiting class: 3 Icn=Ics=6000A
Miniature overcurrent circuitbreaker	Miniature overcurrent circuitbreaker	CHINT	NB1-63 2PD10	In=10A,400/415V~,50/60Hz, Energy limiting class: 3 Icn=Ics=6000A
Miniature overcurrent circuitbreaker	Miniature overcurrent circuitbreaker	CHINT	NB1-63 2PD13	In=13A,400/415V~,50/60Hz, Energy limiting class: 3 Icn=Ics=6000A
Miniature overcurrent circuitbreaker	Miniature overcurrent circuitbreaker	CHINT	NB1-63 2PD16	In=16A,400/415V~,50/60Hz, Energy limiting class: 3 Icn=Ics=6000A
Miniature overcurrent circuitbreaker	Miniature overcurrent circuitbreaker	CHINT	NB1-63 2PD20	In=20A,400/415V~,50/60Hz, Energy limiting class: 3 Icn=Ics=6000A
Miniature overcurrent circuitbreaker	Miniature overcurrent circuitbreaker	CHINT	NB1-63 2PD25	In=25A,400/415V~,50/60Hz, Energy limiting class: 3 Icn=Ics=6000A

This certification remains valid until the above-mentioned expiry date and subject to the organisation's continued compliance with the certification standard, and Global-Mark's Terms and Conditions. This Certificate of Conformity remains the property of Global-Mark Pty Ltd, Company Number: ACN.108-087-654. The use of the Accreditation Mark indicates accreditation by the Joint Accreditation System of Australia and New Zealand in respect to those activities covered by JAS-ANZ accreditation. Refer to www.jasanz.org/register for verification.



Certification Manager

Certificate of Conformity

Miniature overcurrent circuitbreaker	Miniature overcurrent circuitbreaker	CHINT	NB1-63 2PD32	In=32A,400/415V~,50/60Hz, Energy limiting class: 3 Icn=Ics=6000A
Miniature overcurrent circuitbreaker	Miniature overcurrent circuitbreaker	CHINT	NB1-63 2PD40	In=40A,400/415V~,50/60Hz, Energy limiting class: 3 Icn=Ics=6000A
Miniature overcurrent circuitbreaker	Miniature overcurrent circuitbreaker	CHINT	NB1-63 2PD50	In=50A,400/415V~,50/60Hz, Energy limiting class: 3 Icn=Ics=6000A
Miniature overcurrent circuitbreaker	Miniature overcurrent circuitbreaker	CHINT	NB1-63 2PD63	In=63A,400/415V~,50/60Hz, Energy limiting class: 3 Icn=Ics=6000A
Miniature overcurrent circuitbreaker	Miniature overcurrent circuitbreaker	CHINT	NB1-63 3PB1	In=1A,400/415V~,50/60Hz, Energy limiting class: 3 Icn=Ics=6000A
Miniature overcurrent circuitbreaker	Miniature overcurrent circuitbreaker	CHINT	NB1-63 3PB1.6	In=1.6A,400/415V~,50/60Hz, Energy limiting class: 3 Icn=Ics=6000A
Miniature overcurrent circuitbreaker	Miniature overcurrent circuitbreaker	CHINT	NB1-63 3PB2	In=2A,400/415V~,50/60Hz, Energy limiting class: 3 Icn=Ics=6000A
Miniature overcurrent circuitbreaker	Miniature overcurrent circuitbreaker	CHINT	NB1-63 3PB3	In=3A,400/415V~,50/60Hz, Energy limiting class: 3 Icn=Ics=6000A
Miniature overcurrent circuitbreaker	Miniature overcurrent circuitbreaker	CHINT	NB1-63 3PB4	In=4A,400/415V~,50/60Hz, Energy limiting class: 3 Icn=Ics=6000A
Miniature overcurrent circuitbreaker	Miniature overcurrent circuitbreaker	CHINT	NB1-63 3PB5	In=5A,400/415V~,50/60Hz, Energy limiting class: 3 Icn=Ics=6000A
Miniature overcurrent circuitbreaker	Miniature overcurrent circuitbreaker	CHINT	NB1-63 3PB6	In=6A,400/415V~,50/60Hz, Energy limiting class: 3 Icn=Ics=6000A
Miniature overcurrent circuitbreaker	Miniature overcurrent circuitbreaker	CHINT	NB1-63 3PB8	In=8A,400/415V~,50/60Hz, Energy limiting class: 3 Icn=Ics=6000A
Miniature overcurrent circuitbreaker	Miniature overcurrent circuitbreaker	CHINT	NB1-63 3PB10	In=10A,400/415V~,50/60Hz, Energy limiting class: 3 Icn=Ics=6000A
Miniature overcurrent circuitbreaker	Miniature overcurrent circuitbreaker	CHINT	NB1-63 3PB13	In=13A,400/415V~,50/60Hz, Energy limiting class: 3 Icn=Ics=6000A
Miniature overcurrent circuitbreaker	Miniature overcurrent circuitbreaker	CHINT	NB1-63 3PB16	In=16A,400/415V~,50/60Hz, Energy limiting class: 3 Icn=Ics=6000A

This certification remains valid until the above-mentioned expiry date and subject to the organisation's continued compliance with the certification standard, and Global-Mark's Terms and Conditions. This Certificate of Conformity remains the property of Global-Mark Pty Ltd, Company Number: ACN.108-087-654. The use of the Accreditation Mark indicates accreditation by the Joint Accreditation System of Australia and New Zealand in respect to those activities covered by JAS-ANZ accreditation. Refer to www.jasanz.org/register for verification.



Certification Manager



Certificate of Conformity

Miniature overcurrent circuitbreaker	Miniature overcurrent circuitbreaker	CHINT	NB1-63 3PB20	In=20A,400/415V~,50/60Hz, Energy limiting class: 3 Icn=Ics=6000A
Miniature overcurrent circuitbreaker	Miniature overcurrent circuitbreaker	CHINT	NB1-63 3PB25	In=25A,400/415V~,50/60Hz, Energy limiting class: 3 Icn=Ics=6000A
Miniature overcurrent circuitbreaker	Miniature overcurrent circuitbreaker	CHINT	NB1-63 3PB32	In=32A,400/415V~,50/60Hz, Energy limiting class: 3 Icn=Ics=6000A
Miniature overcurrent circuitbreaker	Miniature overcurrent circuitbreaker	CHINT	NB1-63 3PB40	In=40A,400/415V~,50/60Hz, Energy limiting class: 3 Icn=Ics=6000A
Miniature overcurrent circuitbreaker	Miniature overcurrent circuitbreaker	CHINT	NB1-63 3PB50	In=50A,400/415V~,50/60Hz, Energy limiting class: 3 Icn=Ics=6000A
Miniature overcurrent circuitbreaker	Miniature overcurrent circuitbreaker	CHINT	NB1-63 3PB63	In=63A,400/415V~,50/60Hz, Energy limiting class: 3 Icn=Ics=6000A
Miniature overcurrent circuitbreaker	Miniature overcurrent circuitbreaker	CHINT	NB1-63 3PC1	In=1A,400/415V~,50/60Hz, Energy limiting class: 3 Icn=Ics=6000A
Miniature overcurrent circuitbreaker	Miniature overcurrent circuitbreaker	CHINT	NB1-63 3PC1.6	In=1.6A,400/415V~,50/60Hz, Energy limiting class: 3 Icn=Ics=6000A
Miniature overcurrent circuitbreaker	Miniature overcurrent circuitbreaker	CHINT	NB1-63 3PC2	In=2A,400/415V~,50/60Hz, Energy limiting class: 3 Icn=Ics=6000A
Miniature overcurrent circuitbreaker	Miniature overcurrent circuitbreaker	CHINT	NB1-63 3PC3	In=3A,400/415V~,50/60Hz, Energy limiting class: 3 Icn=Ics=6000A
Miniature overcurrent circuitbreaker	Miniature overcurrent circuitbreaker	CHINT	NB1-63 3PC4	In=4A,400/415V~,50/60Hz, Energy limiting class: 3 Icn=Ics=6000A
Miniature overcurrent circuitbreaker	Miniature overcurrent circuitbreaker	CHINT	NB1-63 3PC5	In=5A,400/415V~,50/60Hz, Energy limiting class: 3 Icn=Ics=6000A
Miniature overcurrent circuitbreaker	Miniature overcurrent circuitbreaker	CHINT	NB1-63 3PC6	In=6A,400/415V~,50/60Hz, Energy limiting class: 3 Icn=Ics=6000A
Miniature overcurrent circuitbreaker	Miniature overcurrent circuitbreaker	CHINT	NB1-63 3PC8	In=8A,400/415V~,50/60Hz, Energy limiting class: 3 Icn=Ics=6000A
Miniature overcurrent circuitbreaker	Miniature overcurrent circuitbreaker	CHINT	NB1-63 3PC10	In=10A,400/415V~,50/60Hz, Energy limiting class: 3 Icn=Ics=6000A

This certification remains valid until the above-mentioned expiry date and subject to the organisation's continued compliance with the certification standard, and Global-Mark's Terms and Conditions. This Certificate of Conformity remains the property of Global-Mark Pty Ltd, Company Number: ACN.108-087-654. The use of the Accreditation Mark indicates accreditation by the Joint Accreditation System of Australia and New Zealand in respect to those activities covered by JAS-ANZ accreditation. Refer to www.jasanz.org/register for verification.



Certification Manager

Page 13 of 22

Certificate of Conformity

Miniature overcurrent circuitbreaker	Miniature overcurrent circuitbreaker	CHINT	NB1-63 3PC13	In=13A,400/415V~,50/60Hz, Energy limiting class: 3 Icn=Ics=6000A
Miniature overcurrent circuitbreaker	Miniature overcurrent circuitbreaker	CHINT	NB1-63 3PC16	In=16A,400/415V~,50/60Hz, Energy limiting class: 3 Icn=Ics=6000A
Miniature overcurrent circuitbreaker	Miniature overcurrent circuitbreaker	CHINT	NB1-63 3PC20	In=20A,400/415V~,50/60Hz, Energy limiting class: 3 Icn=Ics=6000A
Miniature overcurrent circuitbreaker	Miniature overcurrent circuitbreaker	CHINT	NB1-63 3PC25	In=25A,400/415V~,50/60Hz, Energy limiting class: 3 Icn=Ics=6000A
Miniature overcurrent circuitbreaker	Miniature overcurrent circuitbreaker	CHINT	NB1-63 3PC32	In=32A,400/415V~,50/60Hz, Energy limiting class: 3 Icn=Ics=6000A
Miniature overcurrent circuitbreaker	Miniature overcurrent circuitbreaker	CHINT	NB1-63 3PC40	In=40A,400/415V~,50/60Hz, Energy limiting class: 3 Icn=Ics=6000A
Miniature overcurrent circuitbreaker	Miniature overcurrent circuitbreaker	CHINT	NB1-63 3PC50	In=50A,400/415V~,50/60Hz, Energy limiting class: 3 Icn=Ics=6000A
Miniature overcurrent circuitbreaker	Miniature overcurrent circuitbreaker	CHINT	NB1-63 3PC63	In=63A,400/415V~,50/60Hz, Energy limiting class: 3 Icn=Ics=6000A
Miniature overcurrent circuitbreaker	Miniature overcurrent circuitbreaker	CHINT	NB1-63 3PD1	In=1A,400/415V~,50/60Hz, Energy limiting class: 3 Icn=Ics=6000A
Miniature overcurrent circuitbreaker	Miniature overcurrent circuitbreaker	CHINT	NB1-63 3PD1.6	In=1.6A,400/415V~,50/60Hz, Energy limiting class: 3 Icn=Ics=6000A
Miniature overcurrent circuitbreaker	Miniature overcurrent circuitbreaker	CHINT	NB1-63 3PD2	In=2A,400/415V~,50/60Hz, Energy limiting class: 3 Icn=Ics=6000A
Miniature overcurrent circuitbreaker	Miniature overcurrent circuitbreaker	CHINT	NB1-63 3PD3	In=3A,400/415V~,50/60Hz, Energy limiting class: 3 Icn=Ics=6000A
Miniature overcurrent circuitbreaker	Miniature overcurrent circuitbreaker	CHINT	NB1-63 3PD4	In=4A,400/415V~,50/60Hz, Energy limiting class: 3 Icn=Ics=6000A
Miniature overcurrent circuitbreaker	Miniature overcurrent circuitbreaker	CHINT	NB1-63 3PD5	In=5A,400/415V~,50/60Hz, Energy limiting class: 3 Icn=Ics=6000A
Miniature overcurrent circuitbreaker	Miniature overcurrent circuitbreaker	CHINT	NB1-63 3PD6	In=6A,400/415V~,50/60Hz, Energy limiting class: 3 Icn=Ics=6000A

This certification remains valid until the above-mentioned expiry date and subject to the organisation's continued compliance with the certification standard, and Global-Mark's Terms and Conditions. This Certificate of Conformity remains the property of Global-Mark Pty Ltd, Company Number: ACN.108-087-654. The use of the Accreditation Mark indicates accreditation by the Joint Accreditation System of Australia and New Zealand in respect to those activities covered by JAS-ANZ accreditation. Refer to www.jasanz.org/register for verification.



Certification Manager



Page 14 of 22

Certificate of Conformity

Miniature overcurrent circuitbreaker	Miniature overcurrent circuitbreaker	CHINT	NB1-63 3PD8	In=8A,400/415V~,50/60Hz, Energy limiting class: 3 Icn=Ics=6000A
Miniature overcurrent circuitbreaker	Miniature overcurrent circuitbreaker	CHINT	NB1-63 3PD10	In=10A,400/415V~,50/60Hz, Energy limiting class: 3 Icn=Ics=6000A
Miniature overcurrent circuitbreaker	Miniature overcurrent circuitbreaker	CHINT	NB1-63 3PD13	In=13A,400/415V~,50/60Hz, Energy limiting class: 3 Icn=Ics=6000A
Miniature overcurrent circuitbreaker	Miniature overcurrent circuitbreaker	CHINT	NB1-63 3PD16	In=16A,400/415V~,50/60Hz, Energy limiting class: 3 Icn=Ics=6000A
Miniature overcurrent circuitbreaker	Miniature overcurrent circuitbreaker	CHINT	NB1-63 3PD20	In=20A,400/415V~,50/60Hz, Energy limiting class: 3 Icn=Ics=6000A
Miniature overcurrent circuitbreaker	Miniature overcurrent circuitbreaker	CHINT	NB1-63 3PD25	In=25A,400/415V~,50/60Hz, Energy limiting class: 3 Icn=Ics=6000A
Miniature overcurrent circuitbreaker	Miniature overcurrent circuitbreaker	CHINT	NB1-63 3PD32	In=32A,400/415V~,50/60Hz, Energy limiting class: 3 Icn=Ics=6000A
Miniature overcurrent circuitbreaker	Miniature overcurrent circuitbreaker	CHINT	NB1-63 3PD40	In=40A,400/415V~,50/60Hz, Energy limiting class: 3 Icn=Ics=6000A
Miniature overcurrent circuitbreaker	Miniature overcurrent circuitbreaker	CHINT	NB1-63 3PD50	In=50A,400/415V~,50/60Hz, Energy limiting class: 3 Icn=Ics=6000A
Miniature overcurrent circuitbreaker	Miniature overcurrent circuitbreaker	CHINT	NB1-63 3PD63	In=63A,400/415V~,50/60Hz, Energy limiting class: 3 Icn=Ics=6000A
Miniature overcurrent circuitbreaker	Miniature overcurrent circuitbreaker	CHINT	NB1-63 4PB1	In=1A,400/415V~,50/60Hz, Energy limiting class: 3 Icn=Ics=6000A
Miniature overcurrent circuitbreaker	Miniature overcurrent circuitbreaker	CHINT	NB1-63 4PB1.6	In=1.6A,400/415V~,50/60Hz, Energy limiting class: 3 Icn=Ics=6000A
Miniature overcurrent circuitbreaker	Miniature overcurrent circuitbreaker	CHINT	NB1-63 4PB2	In=2A,400/415V~,50/60Hz, Energy limiting class: 3 Icn=Ics=6000A
Miniature overcurrent circuitbreaker	Miniature overcurrent circuitbreaker	CHINT	NB1-63 4PB3	In=3A,400/415V~,50/60Hz, Energy limiting class: 3 Icn=Ics=6000A
Miniature overcurrent circuitbreaker	Miniature overcurrent circuitbreaker	CHINT	NB1-63 4PB4	In=4A,400/415V~,50/60Hz, Energy limiting class: 3 Icn=Ics=6000A

This certification remains valid until the above-mentioned expiry date and subject to the organisation's continued compliance with the certification standard, and Global-Mark's Terms and Conditions. This Certificate of Conformity remains the property of Global-Mark Pty Ltd, Company Number: ACN.108-087-654. The use of the Accreditation Mark indicates accreditation by the Joint Accreditation System of Australia and New Zealand in respect to those activities covered by JAS-ANZ accreditation. Refer to www.jasanz.org/register for verification.



Certification Manager

Page 15 of 22

Certificate of Conformity

Miniature overcurrent circuitbreaker	Miniature overcurrent circuitbreaker	CHINT	NB1-63 4PB5	In=5A,400/415V~,50/60Hz, Energy limiting class: 3 Icn=Ics=6000A
Miniature overcurrent circuitbreaker	Miniature overcurrent circuitbreaker	CHINT	NB1-63 4PB6	In=6A,400/415V~,50/60Hz, Energy limiting class: 3 Icn=Ics=6000A
Miniature overcurrent circuitbreaker	Miniature overcurrent circuitbreaker	CHINT	NB1-63 4PB8	In=8A,400/415V~,50/60Hz, Energy limiting class: 3 Icn=Ics=6000A
Miniature overcurrent circuitbreaker	Miniature overcurrent circuitbreaker	CHINT	NB1-63 4PB10	In=10A,400/415V~,50/60Hz, Energy limiting class: 3 Icn=Ics=6000A
Miniature overcurrent circuitbreaker	Miniature overcurrent circuitbreaker	CHINT	NB1-63 4PB13	In=13A,400/415V~,50/60Hz, Energy limiting class: 3 Icn=Ics=6000A
Miniature overcurrent circuitbreaker	Miniature overcurrent circuitbreaker	CHINT	NB1-63 4PB16	In=16A,400/415V~,50/60Hz, Energy limiting class: 3 Icn=Ics=6000A
Miniature overcurrent circuitbreaker	Miniature overcurrent circuitbreaker	CHINT	NB1-63 4PB20	In=20A,400/415V~,50/60Hz, Energy limiting class: 3 Icn=Ics=6000A
Miniature overcurrent circuitbreaker	Miniature overcurrent circuitbreaker	CHINT	NB1-63 4PB25	In=25A,400/415V~,50/60Hz, Energy limiting class: 3 Icn=Ics=6000A
Miniature overcurrent circuitbreaker	Miniature overcurrent circuitbreaker	CHINT	NB1-63 4PB32	In=32A,400/415V~,50/60Hz, Energy limiting class: 3 Icn=Ics=6000A
Miniature overcurrent circuitbreaker	Miniature overcurrent circuitbreaker	CHINT	NB1-63 4PB40	In=40A,400/415V~,50/60Hz, Energy limiting class: 3 Icn=Ics=6000A
Miniature overcurrent circuitbreaker	Miniature overcurrent circuitbreaker	CHINT	NB1-63 4PB50	In=50A,400/415V~,50/60Hz, Energy limiting class: 3 Icn=Ics=6000A
Miniature overcurrent circuitbreaker	Miniature overcurrent circuitbreaker	CHINT	NB1-63 4PB63	In=63A,400/415V~,50/60Hz, Energy limiting class: 3 Icn=Ics=6000A
Miniature overcurrent circuitbreaker	Miniature overcurrent circuitbreaker	CHINT	NB1-63 4PC1	In=1A,400/415V~,50/60Hz, Energy limiting class: 3 Icn=Ics=6000A
Miniature overcurrent circuitbreaker	Miniature overcurrent circuitbreaker	CHINT	NB1-63 4PC1.6	In=1.6A,400/415V~,50/60Hz, Energy limiting class: 3 Icn=Ics=6000A
Miniature overcurrent circuitbreaker	Miniature overcurrent circuitbreaker	CHINT	NB1-63 4PC2	In=2A,400/415V~,50/60Hz, Energy limiting class: 3 Icn=Ics=6000A

This certification remains valid until the above-mentioned expiry date and subject to the organisation's continued compliance with the certification standard, and Global-Mark's Terms and Conditions. This Certificate of Conformity remains the property of Global-Mark Pty Ltd, Company Number: ACN.108-087-654. The use of the Accreditation Mark indicates accreditation by the Joint Accreditation System of Australia and New Zealand in respect to those activities covered by JAS-ANZ accreditation. Refer to www.jasanz.org/register for verification.



Certification Manager

Certificate of Conformity

Miniature overcurrent circuitbreaker	Miniature overcurrent circuitbreaker	CHINT	NB1-63 4PC3	In=3A,400/415V~,50/60Hz, Energy limiting class: 3 Icn=Ics=6000A
Miniature overcurrent circuitbreaker	Miniature overcurrent circuitbreaker	CHINT	NB1-63 4PC4	In=4A,400/415V~,50/60Hz, Energy limiting class: 3 Icn=Ics=6000A
Miniature overcurrent circuitbreaker	Miniature overcurrent circuitbreaker	CHINT	NB1-63 4PC5	In=5A,400/415V~,50/60Hz, Energy limiting class: 3 Icn=Ics=6000A
Miniature overcurrent circuitbreaker	Miniature overcurrent circuitbreaker	CHINT	NB1-63 4PC6	In=6A,400/415V~,50/60Hz, Energy limiting class: 3 Icn=Ics=6000A
Miniature overcurrent circuitbreaker	Miniature overcurrent circuitbreaker	CHINT	NB1-63 4PC8	In=8A,400/415V~,50/60Hz, Energy limiting class: 3 Icn=Ics=6000A
Miniature overcurrent circuitbreaker	Miniature overcurrent circuitbreaker	CHINT	NB1-63 4PC10	In=10A,400/415V~,50/60Hz, Energy limiting class: 3 Icn=Ics=6000A
Miniature overcurrent circuitbreaker	Miniature overcurrent circuitbreaker	CHINT	NB1-63 4PC13	In=13A,400/415V~,50/60Hz, Energy limiting class: 3 Icn=Ics=6000A
Miniature overcurrent circuitbreaker	Miniature overcurrent circuitbreaker	CHINT	NB1-63 4PC16	In=16A,400/415V~,50/60Hz, Energy limiting class: 3 Icn=Ics=6000A
Miniature overcurrent circuitbreaker	Miniature overcurrent circuitbreaker	CHINT	NB1-63 4PC20	In=20A,400/415V~,50/60Hz, Energy limiting class: 3 Icn=Ics=6000A
Miniature overcurrent circuitbreaker	Miniature overcurrent circuitbreaker	CHINT	NB1-63 4PC25	In=25A,400/415V~,50/60Hz, Energy limiting class: 3 Icn=Ics=6000A
Miniature overcurrent circuitbreaker	Miniature overcurrent circuitbreaker	CHINT	NB1-63 4PC32	In=32A,400/415V~,50/60Hz, Energy limiting class: 3 Icn=Ics=6000A
Miniature overcurrent circuitbreaker	Miniature overcurrent circuitbreaker	CHINT	NB1-63 4PC40	In=40A,400/415V~,50/60Hz, Energy limiting class: 3 Icn=Ics=6000A
Miniature overcurrent circuitbreaker	Miniature overcurrent circuitbreaker	CHINT	NB1-63 4PC50	In=50A,400/415V~,50/60Hz, Energy limiting class: 3 Icn=Ics=6000A
Miniature overcurrent circuitbreaker	Miniature overcurrent circuitbreaker	CHINT	NB1-63 4PC63	In=63A,400/415V~,50/60Hz, Energy limiting class: 3 Icn=Ics=6000A
Miniature overcurrent circuitbreaker	Miniature overcurrent circuitbreaker	CHINT	NB1-63 4PD1	In=1A,400/415V~,50/60Hz, Energy limiting class: 3 Icn=Ics=6000A

This certification remains valid until the above-mentioned expiry date and subject to the organisation's continued compliance with the certification standard, and Global-Mark's Terms and Conditions. This Certificate of Conformity remains the property of Global-Mark Pty Ltd, Company Number: ACN.108-087-654. The use of the Accreditation Mark indicates accreditation by the Joint Accreditation System of Australia and New Zealand in respect to those activities covered by JAS-ANZ accreditation. Refer to www.jasanz.org/register for verification.



Certification Manager



Page 17 of 22

Global-Mark Pty Ltd, Copyright 2012 - 407, 32 Delhi Road, North Ryde NSW 2113, Australia



Certificate of Conformity

Miniature overcurrent circuitbreaker	Miniature overcurrent circuitbreaker	CHINT	NB1-63 4PD1.6	In=1.6A,400/415V~,50/60Hz, Energy limiting class: 3 Icn=Ics=6000A
Miniature overcurrent circuitbreaker	Miniature overcurrent circuitbreaker	CHINT	NB1-63 4PD2	In=2A,400/415V~,50/60Hz, Energy limiting class: 3 Icn=Ics=6000A
Miniature overcurrent circuitbreaker	Miniature overcurrent circuitbreaker	CHINT	NB1-63 4PD3	In=3A,400/415V~,50/60Hz, Energy limiting class: 3 Icn=Ics=6000A
Miniature overcurrent circuitbreaker	Miniature overcurrent circuitbreaker	CHINT	NB1-63 4PD4	In=4A,400/415V~,50/60Hz, Energy limiting class: 3 Icn=Ics=6000A
Miniature overcurrent circuitbreaker	Miniature overcurrent circuitbreaker	CHINT	NB1-63 4PD5	In=5A,400/415V~,50/60Hz, Energy limiting class: 3 Icn=Ics=6000A
Miniature overcurrent circuitbreaker	Miniature overcurrent circuitbreaker	CHINT	NB1-63 4PD6	In=6A,400/415V~,50/60Hz, Energy limiting class: 3 Icn=Ics=6000A
Miniature overcurrent circuitbreaker	Miniature overcurrent circuitbreaker	CHINT	NB1-63 4PD8	In=8A,400/415V~,50/60Hz, Energy limiting class: 3 Icn=Ics=6000A
Miniature overcurrent circuitbreaker	Miniature overcurrent circuitbreaker	CHINT	NB1-63 4PD10	In=10A,400/415V~,50/60Hz, Energy limiting class: 3 Icn=Ics=6000A
Miniature overcurrent circuitbreaker	Miniature overcurrent circuitbreaker	CHINT	NB1-63 4PD13	In=13A,400/415V~,50/60Hz, Energy limiting class: 3 Icn=Ics=6000A
Miniature overcurrent circuitbreaker	Miniature overcurrent circuitbreaker	CHINT	NB1-63 4PD16	In=16A,400/415V~,50/60Hz, Energy limiting class: 3 Icn=Ics=6000A
Miniature overcurrent circuitbreaker	Miniature overcurrent circuitbreaker	CHINT	NB1-63 4PD20	In=20A,400/415V~,50/60Hz, Energy limiting class: 3 Icn=Ics=6000A
Miniature overcurrent circuitbreaker	Miniature overcurrent circuitbreaker	CHINT	NB1-63 4PD25	In=25A,400/415V~,50/60Hz, Energy limiting class: 3 Icn=Ics=6000A
Miniature overcurrent circuitbreaker	Miniature overcurrent circuitbreaker	CHINT	NB1-63 4PD32	In=32A,400/415V~,50/60Hz, Energy limiting class: 3 Icn=Ics=6000A
Miniature overcurrent circuitbreaker	Miniature overcurrent circuitbreaker	CHINT	NB1-63 4PD40	In=40A,400/415V~,50/60Hz, Energy limiting class: 3 Icn=Ics=6000A
Miniature overcurrent circuitbreaker	Miniature overcurrent circuitbreaker	CHINT	NB1-63 4PD50	In=50A,400/415V~,50/60Hz, Energy limiting class: 3 Icn=Ics=6000A

This certification remains valid until the above-mentioned expiry date and subject to the organisation's continued compliance with the certification standard, and Global-Mark's Terms and Conditions. This Certificate of Conformity remains the property of Global-Mark Pty Ltd, Company Number: ACN.108-087-654. The use of the Accreditation Mark indicates accreditation by the Joint Accreditation System of Australia and New Zealand in respect to those activities covered by JAS-ANZ accreditation. Refer to www.jasanz.org/register for verification.



Certification Manager



Page 18 of 22

Global-Mark Pty Ltd, Copyright 2012 - 407, 32 Delhi Road, North Ryde NSW 2113, Australia



Certificate of Conformity

Miniature overcurrent circuitbreaker	Miniature overcurrent circuitbreaker	CHINT	NB1-63 4PD63	In=63A,400/415V~,50/60Hz, Energy limiting class: 3 Icn=Ics=6000A
Miniature overcurrent circuitbreaker	Miniature overcurrent circuitbreaker	CHINT	NB1-63 3PNB1	In=1A,400/415V~,50/60Hz, Energy limiting class: 3 Icn=Ics=6000A
Miniature overcurrent circuitbreaker	Miniature overcurrent circuitbreaker	CHINT	NB1-63 3PNB1.6	In=1.6A,400/415V~,50/60Hz, Energy limiting class: 3 Icn=Ics=6000A
Miniature overcurrent circuitbreaker	Miniature overcurrent circuitbreaker	CHINT	NB1-63 3PNB2	In=2A,400/415V~,50/60Hz, Energy limiting class: 3 Icn=Ics=6000A
Miniature overcurrent circuitbreaker	Miniature overcurrent circuitbreaker	CHINT	NB1-63 3PNB3	In=3A,400/415V~,50/60Hz, Energy limiting class: 3 Icn=Ics=6000A
Miniature overcurrent circuitbreaker	Miniature overcurrent circuitbreaker	CHINT	NB1-63 3PNB4	In=4A,400/415V~,50/60Hz, Energy limiting class: 3 Icn=Ics=6000A
Miniature overcurrent circuitbreaker	Miniature overcurrent circuitbreaker	CHINT	NB1-63 3PNB5	In=5A,400/415V~,50/60Hz, Energy limiting class: 3 Icn=Ics=6000A
Miniature overcurrent circuitbreaker	Miniature overcurrent circuitbreaker	CHINT	NB1-63 3PNB6	In=6A,400/415V~,50/60Hz, Energy limiting class: 3 Icn=Ics=6000A
Miniature overcurrent circuitbreaker	Miniature overcurrent circuitbreaker	CHINT	NB1-63 3PNB8	In=8A,400/415V~,50/60Hz, Energy limiting class: 3 Icn=Ics=6000A
Miniature overcurrent circuitbreaker	Miniature overcurrent circuitbreaker	CHINT	NB1-63 3PNB10	In=10A,400/415V~,50/60Hz, Energy limiting class: 3 Icn=Ics=6000A
Miniature overcurrent circuitbreaker	Miniature overcurrent circuitbreaker	CHINT	NB1-63 3PNB13	In=13A,400/415V~,50/60Hz, Energy limiting class: 3 Icn=Ics=6000A
Miniature overcurrent circuitbreaker	Miniature overcurrent circuitbreaker	CHINT	NB1-63 3PNB16	In=16A,400/415V~,50/60Hz, Energy limiting class: 3 Icn=Ics=6000A
Miniature overcurrent circuitbreaker	Miniature overcurrent circuitbreaker	CHINT	NB1-63 3PNB20	In=20A,400/415V~,50/60Hz, Energy limiting class: 3 Icn=Ics=6000A
Miniature overcurrent circuitbreaker	Miniature overcurrent circuitbreaker	CHINT	NB1-63 3PNB25	In=25A,400/415V~,50/60Hz, Energy limiting class: 3 Icn=Ics=6000A
Miniature overcurrent circuitbreaker	Miniature overcurrent circuitbreaker	CHINT	NB1-63 3PNB32	In=32A,400/415V~,50/60Hz, Energy limiting class: 3 Icn=Ics=6000A

This certification remains valid until the above-mentioned expiry date and subject to the organisation's continued compliance with the certification standard, and Global-Mark's Terms and Conditions. This Certificate of Conformity remains the property of Global-Mark Pty Ltd, Company Number: ACN.108-087-654. The use of the Accreditation Mark indicates accreditation by the Joint Accreditation System of Australia and New Zealand in respect to those activities covered by JAS-ANZ accreditation. Refer to www.jasanz.org/register for verification.



Certification Manager

Page 19 of 22

Certificate of Conformity

Miniature overcurrent circuitbreaker	Miniature overcurrent circuitbreaker	CHINT	NB1-63 3PNB40	In=40A,400/415V~,50/60Hz, Energy limiting class: 3 Icn=Ics=6000A
Miniature overcurrent circuitbreaker	Miniature overcurrent circuitbreaker	CHINT	NB1-63 3PNB50	In=50A,400/415V~,50/60Hz, Energy limiting class: 3 Icn=Ics=6000A
Miniature overcurrent circuitbreaker	Miniature overcurrent circuitbreaker	CHINT	NB1-63 3PNB63	In=63A,400/415V~,50/60Hz, Energy limiting class: 3 Icn=Ics=6000A
Miniature overcurrent circuitbreaker	Miniature overcurrent circuitbreaker	CHINT	NB1-63 3PNC1	In=1A,400/415V~,50/60Hz, Energy limiting class: 3 Icn=Ics=6000A
Miniature overcurrent circuitbreaker	Miniature overcurrent circuitbreaker	CHINT	NB1-63 3PNC1.6	In=1.6A,400/415V~,50/60Hz, Energy limiting class: 3 Icn=Ics=6000A
Miniature overcurrent circuitbreaker	Miniature overcurrent circuitbreaker	CHINT	NB1-63 3PNC2	In=2A,400/415V~,50/60Hz, Energy limiting class: 3 Icn=Ics=6000A
Miniature overcurrent circuitbreaker	Miniature overcurrent circuitbreaker	CHINT	NB1-63 3PNC3	In=3A,400/415V~,50/60Hz, Energy limiting class: 3 Icn=Ics=6000A
Miniature overcurrent circuitbreaker	Miniature overcurrent circuitbreaker	CHINT	NB1-63 3PNC4	In=4A,400/415V~,50/60Hz, Energy limiting class: 3 Icn=Ics=6000A
Miniature overcurrent circuitbreaker	Miniature overcurrent circuitbreaker	CHINT	NB1-63 3PNC5	In=5A,400/415V~,50/60Hz, Energy limiting class: 3 Icn=Ics=6000A
Miniature overcurrent circuitbreaker	Miniature overcurrent circuitbreaker	CHINT	NB1-63 3PNC6	In=6A,400/415V~,50/60Hz, Energy limiting class: 3 Icn=Ics=6000A
Miniature overcurrent circuitbreaker	Miniature overcurrent circuitbreaker	CHINT	NB1-63 3PNC8	In=8A,400/415V~,50/60Hz, Energy limiting class: 3 Icn=Ics=6000A
Miniature overcurrent circuitbreaker	Miniature overcurrent circuitbreaker	CHINT	NB1-63 3PNC10	In=10A,400/415V~,50/60Hz, Energy limiting class: 3 Icn=Ics=6000A
Miniature overcurrent circuitbreaker	Miniature overcurrent circuitbreaker	CHINT	NB1-63 3PNC13	In=13A,400/415V~,50/60Hz, Energy limiting class: 3 Icn=Ics=6000A
Miniature overcurrent circuitbreaker	Miniature overcurrent circuitbreaker	CHINT	NB1-63 3PNC16	In=16A,400/415V~,50/60Hz, Energy limiting class: 3 Icn=Ics=6000A
Miniature overcurrent circuitbreaker	Miniature overcurrent circuitbreaker	CHINT	NB1-63 3PNC20	In=20A,400/415V~,50/60Hz, Energy limiting class: 3 Icn=Ics=6000A

This certification remains valid until the above-mentioned expiry date and subject to the organisation's continued compliance with the certification standard, and Global-Mark's Terms and Conditions. This Certificate of Conformity remains the property of Global-Mark Pty Ltd, Company Number: ACN.108-087-654. The use of the Accreditation Mark indicates accreditation by the Joint Accreditation System of Australia and New Zealand in respect to those activities covered by JAS-ANZ accreditation. Refer to www.jasanz.org/register for verification.



Certification Manager

Page 20 of 22

Certificate of Conformity

Miniature overcurrent circuitbreaker	Miniature overcurrent circuitbreaker	CHINT	NB1-63 3PNC25	In=25A,400/415V~,50/60Hz, Energy limiting class: 3 Icn=Ics=6000A
Miniature overcurrent circuitbreaker	Miniature overcurrent circuitbreaker	CHINT	NB1-63 3PNC32	In=32A,400/415V~,50/60Hz, Energy limiting class: 3 Icn=Ics=6000A
Miniature overcurrent circuitbreaker	Miniature overcurrent circuitbreaker	CHINT	NB1-63 3PNC40	In=40A,400/415V~,50/60Hz, Energy limiting class: 3 Icn=Ics=6000A
Miniature overcurrent circuitbreaker	Miniature overcurrent circuitbreaker	CHINT	NB1-63 3PNC50	In=50A,400/415V~,50/60Hz, Energy limiting class: 3 Icn=Ics=6000A
Miniature overcurrent circuitbreaker	Miniature overcurrent circuitbreaker	CHINT	NB1-63 3PNC63	In=63A,400/415V~,50/60Hz, Energy limiting class: 3 Icn=Ics=6000A
Miniature overcurrent circuitbreaker	Miniature overcurrent circuitbreaker	CHINT	NB1-63 3PND1	In=1A,400/415V~,50/60Hz, Energy limiting class: 3 Icn=Ics=6000A
Miniature overcurrent circuitbreaker	Miniature overcurrent circuitbreaker	CHINT	NB1-63 3PND1.6	In=1.6A,400/415V~,50/60Hz, Energy limiting class: 3 Icn=Ics=6000A
Miniature overcurrent circuitbreaker	Miniature overcurrent circuitbreaker	CHINT	NB1-63 3PND2	In=2A,400/415V~,50/60Hz, Energy limiting class: 3 Icn=Ics=6000A
Miniature overcurrent circuitbreaker	Miniature overcurrent circuitbreaker	CHINT	NB1-63 3PND3	In=3A,400/415V~,50/60Hz, Energy limiting class: 3 Icn=Ics=6000A
Miniature overcurrent circuitbreaker	Miniature overcurrent circuitbreaker	CHINT	NB1-63 3PND4	In=4A,400/415V~,50/60Hz, Energy limiting class: 3 Icn=Ics=6000A
Miniature overcurrent circuitbreaker	Miniature overcurrent circuitbreaker	CHINT	NB1-63 3PND5	In=5A,400/415V~,50/60Hz, Energy limiting class: 3 Icn=Ics=6000A
Miniature overcurrent circuitbreaker	Miniature overcurrent circuitbreaker	CHINT	NB1-63 3PND6	In=6A,400/415V~,50/60Hz, Energy limiting class: 3 Icn=Ics=6000A
Miniature overcurrent circuitbreaker	Miniature overcurrent circuitbreaker	CHINT	NB1-63 3PND8	In=8A,400/415V~,50/60Hz, Energy limiting class: 3 Icn=Ics=6000A
Miniature overcurrent circuitbreaker	Miniature overcurrent circuitbreaker	CHINT	NB1-63 3PND10	In=10A,400/415V~,50/60Hz, Energy limiting class: 3 Icn=Ics=6000A
Miniature overcurrent circuitbreaker	Miniature overcurrent circuitbreaker	CHINT	NB1-63 3PND13	In=13A,400/415V~,50/60Hz, Energy limiting class: 3 Icn=Ics=6000A

This certification remains valid until the above-mentioned expiry date and subject to the organisation's continued compliance with the certification standard, and Global-Mark's Terms and Conditions. This Certificate of Conformity remains the property of Global-Mark Pty Ltd, Company Number: ACN.108-087-654. The use of the Accreditation Mark indicates accreditation by the Joint Accreditation System of Australia and New Zealand in respect to those activities covered by JAS-ANZ accreditation. Refer to www.jasanz.org/register for verification.



Certification Manager

Page 21 of 22

Certificate of Conformity

Miniature overcurrent circuitbreaker	Miniature overcurrent circuitbreaker	CHINT	NB1-63 3PND16	In=16A,400/415V~,50/60Hz, Energy limiting class: 3 Icn=Ics=6000A
Miniature overcurrent circuitbreaker	Miniature overcurrent circuitbreaker	CHINT	NB1-63 3PND20	In=20A,400/415V~,50/60Hz, Energy limiting class: 3 Icn=Ics=6000A
Miniature overcurrent circuitbreaker	Miniature overcurrent circuitbreaker	CHINT	NB1-63 3PND25	In=25A,400/415V~,50/60Hz, Energy limiting class: 3 Icn=Ics=6000A
Miniature overcurrent circuitbreaker	Miniature overcurrent circuitbreaker	CHINT	NB1-63 3PND32	In=32A,400/415V~,50/60Hz, Energy limiting class: 3 Icn=Ics=6000A
Miniature overcurrent circuitbreaker	Miniature overcurrent circuitbreaker	CHINT	NB1-63 3PND40	In=40A,400/415V~,50/60Hz, Energy limiting class: 3 Icn=Ics=6000A
Miniature overcurrent circuitbreaker	Miniature overcurrent circuitbreaker	CHINT	NB1-63 3PND50	In=50A,400/415V~,50/60Hz, Energy limiting class: 3 Icn=Ics=6000A
Miniature overcurrent circuitbreaker	Miniature overcurrent circuitbreaker	CHINT	NB1-63 3PND63	In=63A,400/415V~,50/60Hz, Energy limiting class: 3 Icn=Ics=6000A

RELEVANT TRADEMARK (S)

COMMENTS OR CONDITIONS ON THE CERTIFICATION
Nil

End of document

This certification remains valid until the above-mentioned expiry date and subject to the organisation's continued compliance with the certification standard, and Global-Mark's Terms and Conditions. This Certificate of Conformity remains the property of Global-Mark Pty Ltd, Company Number: ACN.108-087-654. The use of the Accreditation Mark indicates accreditation by the Joint Accreditation System of Australia and New Zealand in respect to those activities covered by JAS-ANZ accreditation. Refer to www.jasanz.org/register for verification.



Certification Manager

Page 22 of 22